#### DOCUMENT RESUME

ED 213 881

CE 031 504

TITLE

Safety and Health in Vocational Education. Module SH-47: Safety and Health.

INSTITUTION

Center for Occupational Research and Development,

Inc.', Waco, Tex.

SPONS AGENCY

Office of Vocational and Adult Education (ED).

Washington, DC. Div. of National Vocational

Programs.

PUB DATE

81

CONTRACT

300-79-0709 ·

NOTE

AVAILABLÉ FROM

35p.; For/related documents see CE 031 450-507.

The Center for Occupational Research and Development, 601 Lake Air Dr., Suite C, Waco, TX 76010 (Instructor

Guides, \$9.75 each; Learning Modules, \$3.00 each. Entire set of Learning Modules available as two subsets: SH-21, SH-41, SH-43, SH-45, and SH-48,

\$12.00; remaining 45 modules, \$97.50).

EDRS PRICE DESCRIPTORS MF01 Plus Postage. PC Not Available from EDRS.

Behavioral Objectives; \*Health Education; Learning

Activities; Learning Modules; Postsecondary

Education; Program Content; Program Design; Program Development; \*Safety; \*Safety Education; Secondary

Education; \*Vocational Education

**IDENTIFIERS** 

\*Occupational Safety and Health

#### ABSTRACT

This student module on safety and health in vocational education is one of 50 modules concerned with job safety and health. This module introduces of principles and practices of safety and health programs in vocational education. Following the introduction, eight objectives (each keyed to a page in the text) the student is expected to accomplish are listed (e.g., State the primary goal of any Occupational Safety and Health program). Then each objective is taught in detail, sometimes accompanied by illustrations. Learning activities are included. A list of references and answers to learning activities complete the module. (CT)

Reproductions supplied by EDRS are the best that can be made . from the original document.

# SAFETY AND HEALTH

SAFETY AND HEALTH IN VOCATIONAL EDUCATION MODULE SH-47 US DEPARTMENT OF EDUCATION PERMISSION TO REPRODUCE THIS NATIONAL INSTITUTE OF EDUCATION MATERIAL IN MICROFICHE ONLY DUCATIONAL RESOURCES INFORMATION HAS BEEN GRANTED A CENTER ERIC ment has herr reproduced as es and electric has never to produce a more Mer ha premave been migg the improve equiral traction to TO THE FOUCATIONAL RESOURCES experience state from a forti INFORMATION CENTER IÈRICI

ORD

CENTER FOR OCCUPATIONAL RESEARCH AND DEVELOPMENT

DISCRIMINATION PROHIBITED — No person in the United States shall, on the ground of race, color, or national origin, be excluded from participation in, be defined the benefits of, or be subjected to discrimination under any program or activity receiving Federal financial assistance, or be so treated on the basis of sex under most education programs or activities receiving Federal assistance.

The activity which is the subject of this document was supported in whole or in part by the U.S. Department of Education. However, the opinions expressed herein do not necessarily reflect the position or policy of the Department of Education, and no official endorsement by the Department of Education should be inferred.

This work was developed under contract number 300790709 for the U. S. Department of Education, Office of Vocational and Adult Education.



The U. S. Department of Education and the Center for Occupational Research and Development assume no liability for personal injury or property damage incurred by any person or organization making use of the material contained herein. Use of the materials herein is for educational and training purposes and is not to be considered as an exemption from either Federal or State Requiations, and is to be considered as advisory only.

All rights reserved. No part of this work covered by the copyrights hereon may be reproduced or copied in any form or by any means — graphic, electronic, or mechanical, including photocopying, recording, taping, or information and retrieval systems — without the express permission of the Center for Occupational Research and Development.

COPYRIGHT © 1981

The Center for Occupational Research and Development 601 Lake Air Drive; Suite C Waco, Texas 76710

ERIC

The quality and effectiveness of the nation's workforce is significantly influenced by our ability to maintain a safe and healthful work environment. Every year, an estimated 300,000 persons experience some form of occupational disease, 12,000 persons die from work accidents, and at least two
million more suffer disabling injuries. The 245,000,000 work days lost annually due to job-related illnesses and injuries represent a degradation to
the quality of life, a needless escalation in the cost of goods and services, and a serious burden on our nation's productivity.


One of the keys to improved job safety and health lies in the proper preparation of skilled workers, preparation that includes: (1) awareness of hazards, (2) knowledge of safe practices and, most importantly, (3) a conscientious attitude about preserving safety and health in the workplace. The specific aspects of job safety and health should be an integral part of vocational education. Safe work practices should be infused into the training of all skills and knowledge for competent work performance; and safety should be demonstrated, practiced, and insisted upon in the shops, laboratories, and classrooms of our educational institutions.

This module introduces the principles and practices of safety and health programs in vocational education. The module outlines the criteria that should be included in a school's occupational safety and health (OSH) plan and describes seven major functions of such a plan. The delegation of authority is discussed, with an emphasis on the attitudes necessary to build a strong and effective safety and health program.

## **OBJECTIVES**

Upon completion of this module, the student should be able to:

- 1. State four benefits of effective safety and health programs in vocational education. (Page 3)
- 2. State three criteria that must be fulfilled for a school to qualify as having a formal OSH program. (Page 5)



- 3. State the primary goal of any OSH program. (Page 6)
- 4. Describe seven functions of an effective occupational safety and health program. (Page 7)
- 5. Describe the role of attitude in a safety and health program. (Page 21)
- 6. Describe the role of administration in an OSH program. (Page 22)
- 7. Discuss the delegation of authority in school OSH programs. (Page 23)
- 8. Discuss emergency plans and OSH maintenance as functions of safety programs. (Page 28)

5

## SUBJECT MATTER

**OBJECTIVE 1:** State four benefits of effective safety and health programs in vocational education.

Safety has always been an integral part of vocational education. Yet accidents still happen in school and industry. The best facilities and equipment in the history of vocational education have not been sufficient to prevent all of the accidents and illnesses related to school shop and laboratory operations. Facilities and equipment alone cannot ensure the safety and health of vocational students. The most effective way to provide for a safe and healthful environment is through a comprehensive, formal occupational safety and health (OSH) program. Such a program calls for administrative support and well-defined procedures.

The primary benefit of an occupational safety and health (OSH) program is the reduction in the number and severity of occupational illnesses and injuries in the school. Related to this reduction are direct savings in lowered insurance premiums, OSHA or other agency fines, court costs, accident investigation costs, and repair costs. The indirect losses that accompany a school or work accident are also saved by accident and illness reduction; these losses include time out of school, lowered morale among teachers and students; and possible replacement costs for equipment and facilities.

As the tendency to sue for damages increases in all areas of life, schools must be concerned about vocational education accidents and illnesses not only from a moral standpoint, but also from a legal one. OSH program records can provide documentation of the school's compliance with regulations that apply to its operations.

Besides the immediate benefit of student safety and health, OSH programs can provide a degree of long-term protection to students through the teaching of safety attitudes and procedures. Long after their training period is over, workers will be performing their jobs using the safe habits learned in vocational programs.

Another major benefit of vocational education OSH programs is productivity. Productivity is a national concern today; a national goal of Congress is to increase productivity in American industry. Much of productivity depends upon the worker's attitude towards work, including a positive attitude toward safety and an awareness of those conditions that may create a time loss. Vocational education has established its responsibility in this area and the American Vocational Association has assured Congress that vocational educators can deliver workers who will improve productivity. A business or industry cannot be productive when workers are injured or ill due to unsafe conditions or acts.

•		ACTIVITY 1:*
1.	List	four direct savings that are related to the
	reduc	ction of occupational/illnesses and injuries in
,	schoo	o¥s.
	a. ·	
	b.	•
	с.	
	d.	
2.	FſΊγ	in the blank.
	a.	OSH program records can provide
-		of the school's compliance with safety and
		health regulations.
<b>•</b> '	b.	OSH programs can offer long-term
		to students through teaching safe attitudes
,		and practices.
	с.	Safety training, by teaching safe practices
₹ •		and an awareness of conditions that create a
	• •	time-loss, aids
•		

\*Answers to Activites begin on page 30.

OBJECTIVE 2: State three criteria that must be fulfilled for a school to qualtfy as having a formal OSH program.

Today, a school has both legal and moral responsibilities toward its employees. No longer is the school under the protection of statutory or sovereign immunity. A school now may be liable in the case of an accident and can be sued for negligence. Schools also must now comply with a number of federal, state, and local regulations regarding safety and health standards. At the state and local levels, schools must take into account ... worker's compensation, fire safety laws, building and construction codes, sanitation requirements, and a variety of other regulations. At the federal level, the QSHA regulations are the most comprehensive safety and health requirements facing employees. All private institutions and many public ones are under OSHA (at either the federal or state level). Even if the entire school is not under OSHA, there may be on-site OSHA inspections covering any private services offered within the school complex, such as food commissaries. Thus, the school may become inadvertently involved if violations are found. A comprehensive OSH program of good documentation is effective in dealing with these areas of potential liability and noncompliance.

To be considered a formal program, the OSH effort must exhibit certain characteristics. First, it must be recognized and supported by the top level administration (preferably including the board) of the school. Without this recognition and support, it cannot compete for resources, exert authority, or initiate activities that involve the school as a whole. Second, in order to be a program, some planned activities must occur that lead toward defined program objectives. A program is successful only by virtue of what it accomplishes. Third, someone at be designated as being responsible and accountable for the program. The ram objectives cannot be achieved without proper direction and coordination of program activities.

All three of these criteria must be fulfilled for a school to qualify as having a formal OSH program.

		ACTIV	ITY·2	: =				-
st thre	e charac	teristic	s th	at sl	nould	be de	monst	rated
r a sch	001's OS	H progra	m to	be i	recogn	ized	as a <sub>e</sub>	formal,
able pr	ogram.						·	
	•	,			•	<u> </u>		
					•		•	4
. 4								
	Ĵ	;	•	:	•	•		_
_		_						

OBJECTIVE 3: State the primary goal of any OSH program.

The primary goal of any OSH program is to improve the safety and health of the school environment. Such an improvement can be accomplished when vocational educators have extensive knowledge in the factors that contribute to accidents: unsafe equipment and facilities, and unsafe practices in the work area. The OSH program should aim to provide work areas for students in which as many safety features as possible are built in and as many hazards as possible are removed, while still allowing training tasks to be accomplished in an efficient manner. Further, the goal must include teaching of safe practice as an integral part of vocational training.

<i>,</i> 			ACT	IVIT	. / 'Y 3:			<u>".</u>	
State	the	primary	goal	of	any	OSH	program.		
			,		_				

Page 6/SH-47

**OBJECTIVE 4:** List seven functions of an effective occupational safety and health program.

In order to reduce injuries and illnesses, an effective OSH program must consist of several parts. Work areas must be investigated to determine the location and types of existing hazards. Rules (based on local or national guidelines) must be developed to deal with the problem areas identified. Corrective action must be instigated for those hazards identified. Workers must be trained so that the condition, once corrected, will remain corrected. Some method of inspection and monitoring of work areas must be established. Records of on-the-job illnesses and injuries should be kept. These items are the basis for an effective safety and health program for the local school, industrial, vocational, or career education shop or laboratory.

The seven functions of an effective safety and health program may be listed as:

- · Conducting of on-site inspections.
- Development of rules and regulations.
- Correction or con of hazards.
- · Investigation of accidents.
- Maintenance of illness and injury records.
- · Provision of employee/student training.
- · Monitoring and evaluation of program performance.

## CONDUCTING OF ON-SITE INSPECTIONS

On-site inspections are essential. In order to avoid accidents and prevent injuries, hazards must be recognized.

Inspections should be made by persons or groups trained in hazard recognition. They may conduct either informal (on-the-spot) inspections to obtain immediate corrective action, or they may conduct formal inspections

on a planned basis. All operational items should be covered by adequate inspection schedules.

Items that should be inspected include structures, machines, tools, equipment, material, methods, and processes. New machinery installation, recently acquired equipment and tools, and purchase of orders for material and equipment should be reviewed, also. Work practices must be observed as well as work equipment.

Inspections should be made in an orderly, thorough, and factual manner. There should be a planned itinerary, with a checklist developed for each area. A blank piece of paper and the assignment to inspect an area will not result in complete or accurate assessment of possible safety hazards. Table 1 shows a typical checklist.

"Imagineering" is an important technique that inspectors should develop in order to be able to visualize hazards and unsafe practices which can occur as well as those that are observed. The inspector should ask questions to discover both the actual and potential conditions of the area.

Inspections should be made not only to detect and correct conditions that have caused or may cause an incident, and to comply with regulations (federal, state or institutional), but also may serve to establish a regular accident prevention program. Additionally, inspections provide further opportunities to train and educate administrators, instructors, or students of safe work practices.

TABLE 1: SAFETY ORGANIZATION INSPECTION REPORT.

		va Counti	5 <b>~~~~</b>	····· 2	****
SAFETY ORGANIZATION INSPECTION REPORT	/**	, <b>800</b> Mein St.	, Pewaukee	5 3072 `	* ; *
This form is for use review reports of acc tion may be investiga	cidents which	have occurred	since the pr	evious, s	urvey so that condi-
CION MEY DE HIVESTISS		es			•
NAME OF EMPLOYER	<u> </u>	,		. DATE	LY OR
LOCATION		<u>, , ' 4</u>		MONT	HLY INSP.
INSPECTED BY		,_,	. ,	DATE	OF INSP
<del></del>	· -,				
(SHOW NAME OF	o		}	`,	Mark Each Item
			,		110.K.11. 115ee Recommendations
NR NAMES OF COM- HITTEE MEMBERS)	· ·			'`	or 'See Note."
LOORS, FLOOR OPENING	S. WALL OR HO	ISTWAY OPENING	SAre all f	loor	
urfaces free from pr	rotrúding nails	s, splinters,	holes, 🔊 i pp	eri-	<b>A</b> \
ess, unevenness, loo	se material,	refuse, etc. a	nd aire aill o	pen-	· • · · · · · · · · · · · · · · · · · ·
ngs properly railed TAIRWAYSIs the con	dition of suc	protected portstreáds.	stafrcoveri	ng,	, ,
andrails, etc. satis	factòry. Note	e whether ligh	t is adequat	e.	, , ,
<u>tairs should be free</u> LEVATED RUNWAYS, PLA	of all obstru	uctions.	andlelen of	hada .	<del></del>
ails, toe boards, fo	ot boards, rur	nģs, supports,			
lear of obstruction ACHINES, (A) POINT O	FOPERATION -	Point of opera	tion guards	should	. ,
e provided for all m	vačhines requir	ring them. Re	port places '	where.	,
uards have been remo	yed or, are no	ot used, or ma	chines witho	ut ,	
uards. Achines, (B) OTHER D	ANGEROUS MOVER	G PARTS ALL	belts, pulle	vs	J*
ears, sprockets, cha	ins, clutches.	, and shafting	should be g	uarded	,
favithin 7 ft. of fl	oor. Gears an	nd sprockéts a	re_dangerous	where-	,
ver located and shou tart and stop device			a should hav		
OWER TRANSMISSION, M	ECHANICAL A11	power transm	itting belts	, pul-	```
eys, flywheels, and	shafting withi	in 7 ft of flo	our, and gea	rs,	, ,
prockets and chains	wherever locat	ted, should be	adequately	pro-	,
ected. Prime movers	such as engin	ies and motors	should se p	roperty	
EVATORS Make certa	In that cables	, entrance ga	tes or doors	, safety	1
vices, signal system	m, lighting, f	floor, and 🗪	rgipg-device	s are in	
ood order. Watch fo	r unsafe pract	cices by opera	tors and oth	e. ew.	. • • • • • • • • • • • • • • • • • • •
oyees. ATERIALS Observe who	ather acids c	deresives an	d highly fla	mmahle or	· · · · · · · · · · · · · · · · · · ·
blosive liquids or	other substance	es are handle	and tored	in a	•
fe mannet. All mat					
sion should be made					
nd refuse.	VENTIL ATION O	leat and need	ana ahaula i	ha kasa	
DUSEKEEPING, LIGHT. ' lean and orderly. A					•
port lighting fixtu				Win-	
ows should be clean.	Ventilation	should be uder	inate fur he		•
				UB CO.	. •
onditions and for sal	feth muste 119	mmable or exp,	OSIVE TUMES,	, vapo.	,

PROTECTIVE EquiPMENT: Wherever goggles, respirators, safety shoes, gloves, leggings, hard hats, or special clothing is appropriate, be careful to observe whether it is being used properly and whether of the proper design for comfort and efficiency.	
HAND TOOLSObserve hand tools of all kinds and report those in unsefe condition, such as mushroom heads on chiesels or hammers, spread Jaws on wrenches, splintered handles, defective or improper shields for knives, picks, etc.	•
HAND TRUCKS, CONVEYORS, CRANES AND HOISTSInspect for defective handles, floors, steps, wheels, controls, tracks, signals, etc. and for spread hooks. worn chain links, cables, etc.	à
ELECTRICAL EQUIPMENTObserve wiring, switch boards, trans- formers, etc. to see if in good order and that rails, screens, rubber mets, or guards are in place. Observe condition of ex- tension cords and cords on portable electric tools, loaders, etc., and also see that electrical equipment is properly	
grounded. Where highly flammable, volatile or explosive liq- uids or vapors are present light bulbs, switches, etc. should be properly enclosed. YARDS AND ADJACENT WAYSSee that materials are properly piled,	
refuse cleaned up and premises are in good order. Runways, walks, driveways and trackage should be kept clear, well defined and in good order. Materials or equipment should not be stored or allowed to remain where they may become a public	,
nuisance. Wherever possible yards should be fenced.  BOILERS, AIR TARKS, AND OTHER PRESSURE APPARATUS All pressure apparatus such as air receivers, boilers, pressure cookers, steam jacketed kettles, stills, etc., should be tasted periodically and a-record majntained. Safety valve and other	
safety devices should be inspected and tested for accuracy. See that acetylene and oxygen tanks are properly handled and stored.  FIRST AID EQUIPMENT—See that first aid kits are properly	
stocked, stretchers, blankets, and other equipment in proper order, first aid room clean and facilities preperly maintained. First aid should always be administered by a person properly trained and in event of their absence, injuries should be sent to a physician. Eye cases should never befireated except by a	
physician. FIRE ESCAPES, EQUIPMENT, ETCFire escapes, exits, and passage- ways should be kept clear, in good order and ready for use. All fire fighting equipment should be tested periodically to see if in working order. Consider all above items occasionally in the light of changed conditions to make certain that they are still adequate.	
RECOMMENDATIONS AND COMMENTSFrom your observations and from a review of the accident reports recommend corrective measures. Comment on the accident causes. Word recommendations clearly and anumber them separately,	THIS COLUMN FOR EXECUTIVE OF COMMITTEE USE RECOMMENDATIONS  Date: Date:
Number of previous recommendations still outstinding	Approved Completed
Number of new recommendations submitted below	

13

## DEVECOPMENT OF RULES AND REGULATIONS

Rules and regulations are essential to controlling conditions and behavior that may contribute to safety and health hazards. They serve to curb unsafe acts and establish safe work practice standards. Rules and regulations, can be created for specific jobs by use of the Job Safety Analysis (JSA). The JSA is a systematic, practical method of training and documentation of job hazards. This system consists of four basic steps:

- Define the job.
- Break job down into steps a job procedure.
- 3. Identify the hazard or hazards in each step. $\checkmark$
- 4. Develop a control for each.

All beginning vocational students should be required to make a careful study of work hazards that may be encountered in their trade or profession within the first few days of instruction. Hazard recognition means seeing the hazard twice: first, recognizing that a hazard exists and secondly, visualizing the possible consequences of allowing a hazard to continue to exist uncorrected.

The following form (Table 2) has been used for preparation of JSAs.

Although it does take more time to prepare a personalized JSA for each student activity, there is not only the benefit of increased safety performance, but improved quality and efficiency of instructional activities.

These work practices must be monitored and enforced throughout the future to control hazards.

## CORRECTION OR CONTROL OF HAZARDS

In order to maintain a safe and healthful workplace, hazards that now exist or that could develop must be identified, and procedures created to eliminate or control these hazards. This activity will vary between instructional areas and will be keyed to facility, process, student, and instructor.

Unsafe conditions should ideally be eliminated. A safer substance, tool, or method can be substituted. To augment other corrections or if no



# TABLE 2. JOB SAFETY ANALYSIS.

[Department ]						
OB SAFETY AN	ALYSIS			_		
~		Section	•		Position title of man (men) who does (do) the job	
toguered and/ar raccommanded paragonal protective, equipment	<del></del> <del>-</del>	<del> </del> -		7		
SEQUENCE OF ASIC JOB STEPS	POTENTI	AL ACCI	DENTS OR	HAZARDS	RECOMMENDED SAFE JOB PROCEDURE	
Break the job down take it's heard steps, e.g. what is down less, what is down not., and as an You can do his by it! observing the job. It does not will be seen that the pill observe the pill observe the pill of the pill o	nation of all the contact of the contact with a tween anything pour of the any welding tags.	hree Ash ye anything co engiling, co ig can be la ything injuri etc.	yourself whet e the job step. Ye the job (2) disc past occidents outself. Con he i in he stishe ages an he be caught till, can he every rous such as y	ne struck by as net or come in in on or be sort, is he as jes, redistion,	For each potential accident or hezord, oak yourself how should the man do the job stop to wood the potation accident or what should be do or not do to wood the potential accident You can per your answers by [1] destring the you far loads [2] discussions processions with experiented you aperiors. (1) growing on your experience, or (6) or cambination of all those. Be age to do accide aperioristy the processions has not make take. Don't leave our important details. Fundow each together eventually deep procession with the same a nather you gave the 'potential accident (contex column) that the procession seeks to avoid Une sample do at don't statements to explain recommended processions as it is avoid. Une sample do at don't statements to explain recommended processions as it was more labling to the man.	
Cot a step up ladder Climb ladder Remove lught glube Replace leght bulbs Replace leght bulbs Descent ladder Remove und stere ladder	Process on a right observed to pour and by poster For Could be successful as Served 2 CBy Cliffie 3 SA Shock 6 CW Could 5 CBo Could 6 CO Could	stion for the y describing y describe. B is by a cross is by scied by h against set with his between	ntial accidents a type of accidents of the equal of B-cranchesh an exhabit Une these 7 CI-Cought 6 FB-Fall-on 10 O-Cranchi E-Espeop 12 CC-Contect	ent that could contact or ex- eans the man abbigviotions in below me level prison	Avaid such generalities as "the contint "The ales" "Toke courses" of the course of the	
			•		,	
	<del> </del>	<u>,                                    </u>				
	<del> </del> -			<del>- ;</del>		
	<u> </u>	) 				
• *			•	•		
					, , , , , , , , , , , , , , , , , , , ,	
				•	*	
	<b>†</b>		· )			
			<b>~</b>	*		
	1					
APPROVEDI GEN'L POREMAN	DĄTL .		· · .	*	•	
GCN_ATGPT	. 1		• ••	•	•	
WEETY ENGINEER	• (	'{\frac{1}{2}}		E	entury of Supervisor making Job Soloty Analysis	

ERIC Full Text Provided by ERIC

15

1.

other alternative is suitable, the student or employee can be protected with goggles, shields, aprons, earplugs, or other appropriate personal protective equipment. Unsafe practices must be addressed through safety education, and constant vigilance. In some cases, rewards and penalties may be helpful in reinforcing safe and unsafe practices, respectively.

## INVESTIGATION OF ACCIDENTS

If an accident or near incident has occurred, it is important that the cause be identified and controlled to prevent recurrence. Six basic questions form the core of accident investigation; these are shown in Figure 1.



Figure 1. Six basic elements of accident investigation.

The main reason for accident investigation is to eliminate problems - not to fix blame, find fault, or give punishment. It is important to investigate incidents as soon as possible. The investigation should include a description of the accident (the who-what-where-when), an analysis of causes (the why), and preventative or follow-up action to lower probability or re-

currence (the how). The form which follows (Table 3) is a sample of an accident investigation form currently in use at a midwestern vocational-technical education facility. It is reviewed by safety committee members, and actions are taken to eliminate or correct the contributing factors, either unsafe acts or unsafe conditions.

# TABLE 3. SUPERVISORS INVESTIGATION OF ACCIDENT. (HOW IT HAPPENED AND WHY.)

t <sub>n</sub>	•			
RUSH TO: W.C.T.I. Loss Prevention Review	Board		<b>₩</b>	۰۰. بعاج
. SUPERVISORS INVES	TIGATION OF AC	CIDENT	Guildia	hnical
•	pened and Why)		hear	
Each accident should be investigated irre		ather the se	م سمد فاست	
minor. The object is to prevent recurren	ce and it is or	niv by thoro	uah invest	isation
(Interview injured person, visit scene of	accident of no	scessaty, ta	k to with	esses)
that the real causes can be determined an	d corrected.	=		_
FULL NAME OF INJURED PERSON	•	DEPT. OR	•	•
AGE OR INJURED LENGTH OF SERVICE LENGTH ON PRE	OF SERVICE DI SENT JOB	ATE INJURED	HOUR INJU	RED
MAT WAS HE DOING WHEN HE WAS HURT?	<del>-                                    </del>			<u> </u>
		,		
`'	<u>.</u>			
OW DTD ACCIDENT OCCUR?	•			
ESCRIBE INJURY		RED RETURN T SHIFT OR CLA		meğ i
	YES			
4				
•	ייטאיי זו ווי	ESTIMATE HOL	LONG BEFO	RE RETUR
LEASE ANSWER THE FOLLOWING:	'(		CK "YES"	R "NO"
1. Was injured properly instructed in	safe and effic	ient	YES	NO
method?				
2. Old he violate any instructions?		į į	YES	NO
3. Was necessary protective equipment	worn?		YES	NO
(Efample: Goggles, Safety Belt, Ho 4. Did poor housekeeping contribute to			. YES	MO
5. Did horseplay cause the accident?			YES	NO
6. Was it caused by something which no	eded repairs?	4	YES	NO.
7. Should a guard be provided?		}	YES	MO
8. Did any bodily defect contribute at	accident?	•	YES	MO
9. Was it caused by an unsafe act?			YES	MO
10. Old injured report to first aid 1m	mediately?	I	YES	MO
IVE US YOUR HOMEST COMMENTS ON QUESTIONS OUR OPINION MAY HELP US TO PREVENT REPET		HOT-TRYING	TO BLAME A	NYONE
hat do you consider the reel cause of thi		•		
Please do not use the word "Careless"),		•		•
		~k	•	
nat steps are <u>being taken</u> to prevent simi	lar accidents?	•		
•	, .		· -	
nat other steps should be taken to preven	t wecurrence?			
,			•	
STRUCTOR OR SUPERVISOR		DATE		
,				
(Pleaser complete this wilt	hin 48 hours a	fter injury		-

There are often several contributing factors to an accident. Too often the immediate cause is assumed to be the only cause. Supervisors should seek out all the contributing factors, as among them may be found the underlying cause of the accident. This is best illustrated by a few actual cases:

- A concern reported several "slips on floors:" The immediate cause of these accidents was an oily condition on the floor. A temporary remedy would have been to wipe up the oil promptly. The facts as uncovered by the investigations showed that oil dipped from oil cups on overhead motors. It appeared that the oiler was careless and spilled oil or allowed the cup to overflow. However, it was noted that the step ladder he was using was too short and because he was unable to see what he was doing, he often overflowed the cups. The corrective remedy for "slips on floors" was to provide the oiler with a higher step ladder.
- A department store reported a large number of falls on stairs. All stairways were of good standard design. Everything pointed to carelessness or haste on the part of patrons, but analysis of the records showed that 70% of the accidents occurred on one particular stairway late in the afternoon, especially during late fall and winter months when natural light was lacking. Improved artificial lighting effected an immediate reduction in stairway accidents.

Accidents are caused by unsafe acts or unsafe conditions; or a combination of both. Investigation, analysis, and interpretation of the facts surrounding accidents should be used to prevent the same thing from happening again at the same place, or at other places under similar conditions. To make a thorough investigation of an accident, it is desirable to visit the scene in order to visualize actual conditions. Original reports often fail to record some of the most important details, and detailed reports are necessary and economical as they may be the only means by which a costly accident record can be improved.

Some unsafe practices and conditions are listed in Table 4. These lists are by no means inclusive, but should serve to stimulate lists that are more specific and applicable to specific occupational areas in vocational education.

#### TABLE 4. UNSAFE PRACTICES AND UNSAFE CONDITIONS

## UNSAFE PRACTICES

- .1.) The operation of equipment without training or authority.
- 2. Failure to clean up oil and chemical spills.
- 3. Operating equipment at improper speeds.
- 4. Removal and bypassing of safety devices.
- 9. Use of defective equipment.
- 6. Improper use of equipment.
- 7. Failure to provide properly fitted personal protective devices.
- 8. The use of alcohol and drugs.
  - 9. Improper lifting techniques.
- 10. Improper loading and placement of pallets.

## UNSAFE CONDITIONS

- 1. Poor housekeeping.
- 2. Inadequate protective devices on equipment.
- High noise levels.
- 4. High levels of dusts, fumes, mists, vapors and gases.
- 5. Fire and explosion hazards.
- 6. Overall congested areas.
- 7. Excessive radiation levels.
- 8. .. Inadequate first-aid facilities.
- 9. Defective personal protection equipment.
- 10. Poorly-trained employees and supervisors.

## MAINTENANCE OF ILLNESS AND INJURY RECORDS

Illness and injury records provide one important measure by which safety and health activities can be evaluated. A review of these records, will help identify high hazard areas to which immediate attention must be directed. Illness and injury records should not be regarded as a mere book-keeping activity, but as a tool with which current safety performance can be evaluated and future improvements can be planned.

Page 16/SH-47

Everyone in the shop should be familiar with proper steps to take in case of a shop accident. These procedures should be posted in a conspicuous spot in the instructional area. First and foremost—flould be the attention given to the injured person, if attention is necessary. Determine in advance who will be responsible for securing medical aid, notifying parents or responsible person, and who will be responsible for accident investigation.




Figure 2. Injuries, no matter how mionor , should be reported and treated at once.

For every serious personal injury, there will be thirty property damage accidents and six humaned near misses. It is imperative that all accidents, personal injury and property damage accidents as well as near misses, be investigated as soon as possible (Figure 2).

A standard accident report form should be available. The accident report form provides relevant information used in documenting an injury. It is an example from which an individualized report form may be devised. This form would be completed by the injured person if that person is able to do so.

## PROVISION OF SAFETY AND HEALTH TRAINING

In order to have an effective safety program, there must be an effective training program. Safety training will ideally be integrated into a course of study. Students in vocational programs should learn not only how to work, but how to work safely.

Safety consciousness can be developed by conducting "shop balks" or "toolbox meetings" in order to discuss some point of safety as the occasion

arises. A short and informal discussion of proper shop dress will be better remembered and received if it is presented in the work environment. Student participation should be encouraged in the development of safety awareness materials through posters, bulletin boards, and a suggestion box from which not only safety concerns of students can be submitted, but possible future topics for formal and informal instruction. A possible assignment could be to research a safety or health problem, and prepare materials for class presentation either on an individual or a group basis.

Shop demonstrations of proper use and care of personal protective equipment used in typical job situations will help, make the student more aware of his or her personal responsibility to cooperate with established policy.

Each individual who frequents a shop or lab, needs to know and apply a code of safety practices. Although requirements for different areas will obviously be necessary, "code of safe practices" will generally be applicable. A code of safe practices should basically include the following points:

- 1. No student is expected to undertake an activity until receiving proper job instruction and authorization to proceed. Proper job instruction can be summed up as:
  - Prepare the student to receive instructions, explain what will be done.
  - Present the operation, show the student what is to be done.
    - Practice the operation; allow the student to demonstrate the operation.
    - Provide follow-up to assure the student continues to perform properly.
- No student should undertake a job that appears to be unsafe.
- 3. All guards must be in place and remain in place.
- 4. All unsafe conditions must be reported as soon as they are discovered.
- 5. Injuries and illnesses must be reported immediately, no matter how slight they appear to be.
- 6. The students are aware of and encouraged to participate in the safety program, and made to feel confident that safety needs and concerns will

receive prompt attention and, if necessary, corrective action.

7. The use of eye protection or other personal protection will be explained, and enforced without exception. Rules not observed by all are unworkable as well as unfair.


## MONITORING AND EVALUATION OF WORKPLACE PERFORMANCE

If a safety and health program is to survive and continue to be effective, it must be monitored and evaluated. Present requirements may change or new ones may be added as activities warrant. Safety and health committees (Figure 3) have proven valuable in this monitoring role in industry and can serve vocational technical institutions as well. The safety and health committee can review safety performance and its relationship to productivity and efficiency, setting priorities for safety and health expenditures and education.



Figure 3. Review of accident reports may indicate areas of high risk.

A safety committee should have not only top administrative support but should include all levels of personnel. Smaller subcommittees should be formed to zero in on key areas, and should meet regularly. When problems



Eigure 4. Inspection checklists provide a systematic approach to hazard identification.

are recognized, they should be acted on immediately; interest in safety will soon flag if corrective actions are not apparent.

The safety and health committee can be responsible for making inspections (Figure 4) as well as preventing and correcting hazards, arranging health and safety training as well as reviewing accident and illness reports.

Creating awareness of job hazards is not enough; the safety committee must also promote development of safety attitudes, by acceptance and participation.

		**************************************
1.	Mark	each statement JRUE or FALSE.
		<ul> <li>On-site inspections should be carried ou with a checklist.</li> </ul>
	· —	The main reason for investigation of accidents is to fix blame.
,		<ul> <li>Safety training is ideally provided in a separate safety course.</li> </ul>
2.,	List	the four steps in a Job Safety Analysis.
•	a	
,	b.	
	с.	
	d.	

- 3. Fill in the blank.
  - a. Every individual who uses the shop or lab needs to know the
  - b. The four steps involved in a proper job instruction can be summed up as \_\_\_\_\_, and

**OBJECTIVE 5:** Describe the role of attitude in a safety and health program.

Attitudes toward safety are extremely important. Psychologists tell us that attitudes and habits ar formed early in life and that, to a large extent, they determine one's success or failure in subsequent activities. An attitude as defined by Webster is, "a frame of reference that condition one's response or actions." An attitude of safety awareness will condition how safely a student or worker will respond in a working situation.

For example, air passengers will fasten their seat belts with little or no discussion when the "fasten belts" sign flashes on, but typically only 20 to 30% will use automobile seat belts. The injury and death toll is much higher in automobiles – in total, per passenger mile, per capita or on any other basis. People ho will carefully pack a teacup for mailing will travel at high speed on the highway without fastening their seat belts. Certainly there is no disputing the value of human life over a teacup. Attitude and awareness are the key factors in safe practice.

Worker attitude is just as important as knowledge of skills. The attitude will control how skills are applied. Without it, students will misuse tools and equipment or use them unsafely. Improper use and the lack of knowledge accompanied by a poor attitude or safety consciousness will lead to the development of poor habits. Such poor habits will be repeated in the workplace and will be difficult to break.

Habits come from the repeated application of attitudes, so trainees and students must be taught awareness of safety and the proper attitudes from the beginning of any training program.

. ,	ACTIVITY 5:
Fill	in the blanks.
1.	come from the repeated application o
	attitude.
2.	Worker attitude controls how are *
,	applied. \

**OBJECTIVE 6:** Describe the role of the administration in an OSH program.

The support of the school administration for the QSH program is essential for at least two reasons. First, without the commitment of top administration, the OSH program will be unable to compete with other endorsed, programs for the needed share of funds. Second, without visible support from the top administration, other members of the school may be reluctant to cooperate fully in the safety and health effort.

Endorsement of the administration for the OSH program is usually demonstrated initially by the issuance of a policy statement. To be effective, the policy statement should be issued in printed form to all school personnel by the highest school administrator. This policy statement should reflect:

- The importance which the school administration places on the health and well-being of its staff and students.
- The emphasis the school places on efficient operations with a minimum of accidents and losses.
- The intention of integrating hazard control into all shop operations.
- The necessity for active leadership, direct participation and \enthusi= astic support of the entire school organization.

 The intent of the school administration to bring its facilities, operations, machinery, equipment, tools, etc., within compliance with health and safety standards and regulations.

ACTIVITY 6:	`	

Name two reasons why administrative support is essential to the success of an OSH program.

1.

2.

OBJECTIVE 7: Discuss the delegation of authority in school OSH programs.

For the OSH program to be successful, the responsibility for various aspects of safety and health must be clearly delineated. Overall responsibility should be assigned to a single program administrator. Continuing administrative support is best achieved by appointing someone from top administration in this capacity. The program administrator serves as the primary advocate in obtaining necessary funds for safety and health, as the ultimate authority behind the major directives of the program, and as the key person in maintaining school-wide interest and motivation in the program.

Responsibilities for the OSH program can be delegated by the program .

administrators at the following levels:

- Administrators.
  - Department heads.
  - nstructors.
- Students.
- Student shop foremen.
- Purchasing agents.
- · Maintenance personnel.

27

- · Safety committees.
- · Parents.

Administrators are responsible for making clear their full commitment to the OSH program as it gets underway. It is their drive that can get the program started and their continuing support that ensures its growth and progress.

The industrial and vocational department heads are in strategic positions within the school setting. Without their full support, the best designed health and safety program will not be effective. Their leadership and influence ensure that safety and health standards are enforced and upheld in each individual area and that standards and enforcement are uniform throughout the school. Among their many responsibilities are the following:

- 1. To make certain that materials, equipment and machines slated for distribution to the shops under their jurisdiction are hazard free or that adequate control measures have been provided.
- 2. To make certain that equipment, tools and machinery are being used as designed and are properly maintained.
- 3. To keep abreast of accident and injury trends occurring in their shops , and to take proper corrective action to reverse these trends.
- 4. To investigate all accidents occurring within the shaps under their supervision.
- 5. To see to it that all hazard control rules, regulations and procedures are enforced in the shops they supervise.
- 6. To equire that a Shop Operations Hazard Analysis'be conducted for each operation.
- 7. To require that hazard recognition and control information be included in each instructional module and demonstration session.
- 8. To actively participate in and support the Safety and Health Committee and to follow up on its recommendations.

Instructors have a moral and professional responsibility to safeguard and educate those who have been placed under their supervision. Thus, instructors are generally responsible for creating a safe and healthy instructional setting and for integrating hazard recognition and control into all aspects of the curriculum. By their careful monitoring they can prevent accidents for which the school carries liability.

The instructors, like the supervisors or foremen in industry, are the eyes and ears of the shop control system. On a day-to-day basis,

instructors must be aware of what is happening in their respective shops, who is doing it, how various tasks are being performed and under what conditions. The chief safety and health responsibilities of instructors are listed below:

- To train and educate students in work methods and techniques which are free from hazards.
- 2. To demonstrate an active interest in and comply with school safety and health, policies and regulations.
- 3. To actively—participate in and support the Policy and Shop Safety and Health Committees.
- 4. To supervise and evaluate student performance with consideration given to safe behavior and work methods.
- 5. To monitor the shop on a daily basis for human, situational and environmental factors capable of causing accidents.
- 6. To correct hazards detected in their monitoring or to report such hazards to the persons who can take corrective action.
- 7. To investigate all adidents occurring within their shops to determine cause.

The students constitute the largest segment of the industria vocational school population. Well-trained and educated students who actively participate in the safety program are probably the greatest deterrent to make, injuries and death in the industrial/vocational school shop. The most common student responsibilities are listed below:

- 1. To obey school safety and health rules and regulations and work according to standard shep practices.
- To recognize and report to the instructor hazardous conditions or work practices in the shap.
- 3. To use protective and safety equipment, tools and machinery as they were designed.
- 4. To report all injuries and exposure to toxic material to the instructor as soon as possible.

In a well balanced industrial/vocational education safety and health program which includes active participation by the students, a student sometimes serves as the student shop foreman. The job of this student is to inspect, detect and correct. The specific responsibilities of the student shop foreman are:

 To encourage fellow students to comply with shop safety and health regulations.

- 2. To detect unsafe practices and hazardous machinery, tools, equipment etc.; to take corrective action when possible; and to report to the instructor the hazard and the corrective action taken or still required.
- 3. To participate in accident investigations.
- 4... To represent students on the Shop Safety and Health Committee.

Those responsible for purchasing tems for the industrial/vocational education shops, whether they be department heads or specially designated persons, are in a key position to help reduce hazards associated with school shop operations. Among the specific responsibilities of those who purchase items are:

- 1. To be certain that tools, equipment and machinery are ordered and purchased with adequate consideration for student health and safety and with adequate protective devices.
- 2. To obtain adequate information on the health hazards associated with substances and materials used in shop operations.

Those involved in maintaining equipment, machinery and facilities play an important role in reducing accidents in the industrial/vocational education shop. Among the responsibilities of those in maintenance are the ones listed below:

- To perform construction and installation work in conformance with good engineering practices.
- 2. To comply with acceptable safety and health standards.
- 3. To provide planned preventive maintenance on electrical systems, machinery, equipment, etc., to prevent abnormal deterioration, loss of service, or safety-and health hazards.
- 4. To provide for the timely collection and disposal of scrap materials and waste.
- 5. To actively participate in and support the Safety and Health Committee.

Safety and Health Committees are generally made up of department heads, maintenance personnel, instructors, students, and administration representatives. Among their responsibilities are the ones listed below:

- 1. To survey shop facilities for safety and health hazards.
- 2. To advise administration of safety and health hazards found and to offer recommendations for their correction.
- 3. To promote and evaluate shop programs in the recognition of safety and health hazards.'

- 4. To critically examine shop safety and health practices and the safety information contained in materials and curricula.
- 5. To evaluate the acceptability of safety devices and personal protective equipment to be purchased for the school shops.
- 6. To conduct accident investigations.

Although parents are not thought of as part of the organizational framework essential to an effective industrial/vocational education safety and health program, their support and understanding will markedly strengthen such a program. Parents can complement the school effort by placifications value on safety and health while their children are at home, involved in recreation or being transported. Parents who have been informed about the aims and importance of safety education willingly will accept the following responsibilities as well.

- To actively support the enactment and enforcement of school regulations that mandate the acquisition of the most qualified and experienced instructors, as well as the acquisition of equipment and facilities that conform to acceptable safety and health standards for industry.
- 2. To be aware of the potential illness and injury their children are exposed to during their educational and training process.
- 3. To support the instructor and the school administration when penalties must be assigned for violations of safety and health rules.

With the support of each link in the organizational chain, an effective industrial/vocational education safety and health program can be established and maintained.

#### **ACTIVITY 7:**

Match the personnel on the left with the program functions on the right.

- 1. Department heads. a.
- a. To train and educate students in safe work methods and techniques.
- 2. Students.
- To provide planned preventive maintenance on equipment.

- 3. Maintenance personnel.
- 4. Instructors.
- 5. Parents.

- and health rules and regulations in performing class work.
- d. To support the instructor and administration when penalties for safety violations must be assigned.
- e. To keep informed of accident trends occurring in their shops and to take proper corrective action regarding these trends.

OBJECTIVE 8: Discuss emergency plans and OSH maintenance as functions of safety programs.

- Emergency Action Plans are those operational plans made to contend with emergencies and disasters such as fire, toxic chemical releases, hurricanes, tornadoes, blizzards, floods, etc.
- The OSHAct states that the plan must be written and must state the actions that employees are to take in fires and other life-threatening emergencies. The plan must include emergency escape routes and procedures, methods of announcing emergencies, types of evacuations for different situations, methods of accounting for and/or storage of the item under consideration. Workers have an added incentive to make better use of tools and equipment that are properly maintained, which in turn leads to better satisfied and safer employees or students.

#### ACTIVITY 8:

List one thing that would be considered Routine Corrective Maintenance" and one thing that would be considered "Preventive Maintenance."

2

## REFERENCES

- American Council of Industrial Arts. <u>Safety An Interpretation of OSHA efor</u>
  Industrial Education, 1975.
- American Technical Society. <u>Accident Prevention Manual for Training Programs</u>, Ed. Merle E. Strong, Ph.D., 1975.
- 'National Safety Council. Accident Prevention Manual for Industrial Operations, 7th ed, 1974.
- Texas Education Agency. OSHA and the School Shop. January 1976, Prepared for Vocational Teachers Area. IX In-Service Program.
- The State Education Department: et-al. <u>Industrial Arts Safety A Management Plan</u>, 1977.
- U.S. Department of Labor. Protecting People at Work: A Reader in Occupational Safety and Health. Judson McLaury, ed., 1980.
- U.S. Department of Labor. General Industry Standards. Revised Nov. 7, 1981,
- OSHA Safety and Health Standares (29 CFR 1910).
- U.S. Department of Labor. All About OSHA. Revised 1980, OSHA 2056.
- U.S. Government Printing Office. <u>Occupational Safety and Health Act of</u> 1970. Public Law 91-596.
- U.S. Department of Labor. Fact Sheet on the Occupational Safety and Health Act of 1970. December 1974, OSHA 2220.
- U.S. Department of Labor. <u>Commenting on OSHA Standards</u>. March 1976, OSHA . 2252.
- U.S. Department of Labor. <u>Training Requirement of OSHA Standards</u>. Revised November 1979, OSHA 2254.

- -U.S. Department of Labor. OSHA: Your Workplace Rights in Action. OSHA 3023.
- U.S. Department of Labor. OSHA Inspections. June 1974, OSHA 2098.
- U.S. Department of Health, Education, and Welfare (NIOSH). Occupational Safety and Health in Vocational Education. February 1979, NIOSH 79-125.

# ANSWERS TO ACTIVITIES

## ACTIVITY 1

- 1. (Any, four).
  - a. Insurance premiums.
  - b. OSHA or other agency fines.
  - c. Court costs.
  - d. 'Accident investigation costs.
  - e. Repair costs.
- -2. a. Documentation.
  - b. Protection.
  - c. Productivity.

## ACTIVITY 2

- 1. Recognition and support of top-level administrators.
- 2. Planned activities must occur that lead to program objectives.
- 3. Someone must be designated as accountable for the program.

## ACTIVITY 3

The primary goal of any OSH program is to improve the safety and health of the school work environment.

## **ACTIVITY 4**

- 1. a. True.
  - b. False.
  - c. False.
- 2. a. Define the job.
  - b. Break the job down into steps a fob procedure.

- c. Identify the hazard or hazards in each step.
- d. Develop a control for each.
- 3. a. Code of safe practice.
  - . -b. Prepare, prespht, practice and provide follow-up.

## ACTIVITY 5

- 1. Habits.
- 2. Skills.

## ACTIVITY 6

- 1. Competition for funds.
- 2. Gaining of cooperation from other members of the school.

## ACTIVITY 7

- 1. e.
- 2. c.
- 3. b.
- 4. a.
- 5. d.

## **ACTIVITY 8**

## (Any one.)

- 1. Machine cleaning and lubrication.
- 2. Cleaning windows, floors, light fixtures, etc.
- 3. Disposal of scrap and trash.
- 4. Replace ventilator/heater filters.
- 5. Inspection of tool condition.